Standard Checklist

Name	of Rij	parian	-Wetland Area: San Clemente Creek (San Clemente Rancho)	
Date:]	May 20	, 2004	Segment/Reach ID: Reach 3 - Redwood Cabin PFC 603	
Miles: Elevation: 946			ration: 946 GPS: N36, 25. 372'W121, 44. 384	
ID Te	am Ot	serve	rs: Clive Sanders, Danica Zupic Time:	
Yes	No	N/A	HYDROLOGY	
X			Floodplain above bankfull is inundated in "relatively frequent" events	
		X	2) Where beaver dams are present they are active and stable	
X			Sinuosity, width/depth ratio, and gradient are in balance with the landscape setting (i.e., landform, geology, and bioclimatic region)	
X			4) Riparian-wetland area is widening or has achieved potential extent	
	X		5) Upland watershed is not contributing to riparian-wetland degradation	
Yes	No	N/A	VEGETATION	
X			There is diverse age-class distribution of riparian-wetland vegetation (recruitment for maintenance/recovery)	
X			There is diverse composition of riparian-wetland vegetation (for maintenance/recovery)	
X			Species present indicate maintenance of riparian-wetland soil moisture characteristics	
X			9) Streambank Vegetation is comprised of those plants or plant communities that have root masses capable of withstanding high-streamflow events	
X			10) Riparian-wetland plants exhibit high vigor	
X			Adequate riparian-wetland vegetative cover is present to protect banks and dissipate energy during high flows	
X			12) Plant communities are an adequate source of coarse and/or large woody material (for maintenance/recovery)	
Yes	No	N/A	EROSION/DEPOSITION	
X			13) Floodplain and channel characteristics (i.e., rocks, overflow channels, coarse and/or large woody material) are adequate to dissipate energy	
X	Ī		14) Point bars are revegetating with riparian-wetland vegetation	
X			15) Lateral stream movement is associated with natural sinuosity	
X			16) System is vertically stable	
∇			17) Stream is in balance with the water and sediment being supplied by the watershed (i.e., no excessive erosion or deposition)	

Summary Determination

Functional Rating:	
Proper Functioning Condition Functional—At Risk Nonfunctional Unknown	
Trend for Functional—At Risk:	
Upward Downward Not Apparent	
Are factors contributing to unaccepta of the manager?	ble conditions outside the control
Yes No	
If yes, what are those factors?	
Flow regulations Mining action Channelization Road encroa	achment Oil field water discharge

Remarks

This system is in PFC, the vegetation is diverse in both composition and age-class. There is little erosion and little visible deposition in this reach. The cabin has been constructed far from the bank with the deck built around three redwood trees, thereby keeping the bank's stability in tact.

Checklist Comments

#5 Although there was no visible excessive sediment deposition here, all reaches in the area have sediment contributions from an upland watershed that may be caused by new road and home construction outside the owner's property.